

John Wood Chairman

Seaham Garden Village







Thank you



Mine energy at Seaham Garden Village


Jeremy Crooks Head of Innovation

#CleanEnergyFromTheCoalfields

OFFICIAL-SENSITIVE: COMMERCIAL


This document and its contents not to be distributed without permission





Coal Authority

- Non-departmental Government Body
- Created by 1994 Coal Act
- Own the mines and permit access
- Abandonment Plans from 1872
- Digitised records






UK coal mining


- 25% UK homes and business in coalfields
- 9:10 largest urban areas (geographical size)




Mining in Durham Coalfield




17 billion tonnes mines from 1700 to 2016




Abstraction of coal




Stoop and room




Longwall mining









Geothermal energy in mines





Dawdon Mine Water Treatment Scheme







Mine Water Treatment Schemes


Dawdon Geothermal heat

Temperature 18 - 20°C

Pumping 100 to 150l/sec

4 - 6mw heat available – escaping to atmosphere now

Mine water temperatures in mine shaft




Temperature longevity

TIBITC BESTELL	05/10/22	20.00
Theresa Shaft	05/10/2018	19.00
Hds Discharge We	12/10/2018	19.00
Theresa Shaft	16/10/2	20.00
Hds Discharge We	16/10/2018	19.00
Theresa Shaft	24/10/22	18.00
Hds Discharge Weir	24/10/2018 01/11/2018	18.00
Theresa Shaft	01/11/2018	20.00
Hds Discharge Weir	08/11/2018	19.00
Theresa Shaft	08/11/2018	20.00
Hds Discharge Weir	15/11/2018	20.00
Theresa Shaft	15/11/2018	20.00
Viscilarge Weir In	2/11/2018	20.00
Theresa Shaft	2/11/2018	20.00
Viscillarge Weir I 20	/11/2010	19.00
Theresa Shaft 20	/11/2010	20.00
Viscilarge Weir Inc.	11/2010	20.00
Has Discharge Weir John	12/2010	20.00
meresa Shaft 04/4	2/2010	0.00
Discharge Weir 12/1	2/2010	0.00
neresa Shaft 12/12	2/2010	.00
Sistilarge Weir 121/12	/2010	
eresa Shaft 21/12	/2010	
s Discharge Weir 28/12/	2018 20.0	0



British



Dawdon Mine Water Treatment Scheme







Seaham Garden Village







Heat pumps and mine water

- Iron stays in solution until contact with air
- Dawdon high iron 70 mg/l iron
- Dawdon hypersaline water 58,000 μS/cm


- To stop furring take heat from raw mine water
- Dawdon heat pump operating since 2008 no furring
- Heerlen, Netherlands, transport mine water 8KM with no furring



Heat pump at Dawdon Mine Water Treatments
Scheme

Sustainability

Seaham Garden Village mine energy district heating scheme carbon intensity comparison against gas



- Low temperature network
- Stable pricing future proof
- Stable temperature
- COP4
- Clean air -32% air pollutants from gas heating

Mine energy resilience

Security of supply The Energy Trilemma Affordability Sustainable

Renewables

Dawdon treatment scheme roof and ground solar PV annual generation 1,600,000 kWh/annum









International examples

Figuur 27 - Schematische weergave van de ondergrondse situatie van Mijnwater



Opmerking: De retourput is in het nieuwe Mijnwater-concept buiten gebruik (het heeft nu alleen back-upfunctie).




Scheme of Energy Transition of Hunosa Company

Heerlen, Netherlands

Mieres (Barredo) Spain 2.2MW

Horticulture, agritech and aquaculture









Community benefits

- Fuel poverty
- Employment
- Local finances
- Wellbeing
- Pride from Coalfield heritage















A sustainable future from the coal legacy





Find out more

Brochure link and contact details on your agenda



Thank You

#CleanEnergyFromTheCoalfields